

0.5/1

1. (Three Times Amended) An information processing method comprising:

storing a received mail document including text data and ink data, an ink image being reproduced from the ink data and overlaid on a text image reproduced from the text data when the mail document is reproduced, a reproduction position of the ink image being defined by a coordinate value on reference coordinate axes of the received mail document;

inserting a character string to text data of a new document when a new document quoting the received mail document is prepared;

calculating a shift amount of the reproduction position of the ink image according to a new text image reproduced from the text data to which the character string was inserted; and

outputting, as the new document, the ink image which is overlaid on the new text image reproduced from the text data to which the character string was inserted, the ink image being shifted according to the calculated shift amount.

2. (Unamended From Previous Version) The information processing method according to Claim 1, wherein the ink data comprises locus information to define the output position by coordinate values.

3. (Unamended From Previous Version) The information processing method according to Claim 1, wherein said character string to be inserted is a quotation symbol.

4. (Unamended From Previous Version) The information processing method according to Claim 1, wherein said character string to be inserted is an inserting comment text.

5. (Unamended From Previous Version) The information processing method according to Claim 1, wherein said character string to be inserted is a character string that can be edited.

6. (Unamended From Previous Version) The information processing method according to Claim 1, wherein said shift amount is length information.

7. (Amended) The information processing method according to Claim 1, wherein the new output document is carried out by setting said shift amount as an offset value of said received mail document.

8. (Amended) The information processing method according to Claim 1, wherein said shift amount is calculated according to a number of lines of the character string to be inserted and a line pitch of the document format.

9. (Amended) The information processing method according to Claim 1, wherein said shift amount is calculated according to a number of lines and a number of characters of the character string to be inserted and according to a line pitch and a character pitch of the document format.

10. (Three Times Amended) An information processing method comprising:

storing document information comprising locus information and text information, a locus image being reproduced from the locus information and overlaid on a text image being reproduced from the text information when the document is reproduced, a reproduction position of the locus image being defined by a coordinate value on reference coordinate axes of the document information;

editing said text information;

calculating a shift amount of the reproduction position of the locus image according to a new text image reproduced from the edited text information; and

outputting the locus image which is overlaid on the new text image reproduced from the edited text information, the locus image being shifted according to the calculated shift amount.

11. (Three Times Amended) The information processing method according to Claim 10, wherein the calculated shift amount is a difference between a position of the text image upon output thereof without the editing and a position of the text image upon output thereof after the editing.

12. (Unamended From Previous Version) The information processing method according to Claim 10, wherein said editing is insertion of a character string.

13. (Unamended From Previous Version) The information processing method according to Claim 10, wherein the shift amount is coordinate data.

14. (Three Times Amended) An information processing apparatus comprising:

received mail storing means for storing a received mail document including text data and ink data, an ink image being reproduced from the ink data and overlaid on a text image reproduced from the text data when the mail document is reproduced, a reproduction position of the ink image being defined by a coordinate value on reference coordinate axes of the received mail document;

insertion means for inserting a character string to text data of a new document when a new document quoting the received mail document is prepared;

shift amount calculating means for calculating a shift amount of the reproduction position of the ink image according to a new text image reproduced from the text data to which the character string was inserted; and

output means for outputting, as the new document, the ink image which is overlaid on the new text image reproduced from the text data to which the character string was inserted, the ink image being shifted according to the calculated shift amount.

15. (Unamended From Previous Version) The information processing apparatus according to Claim 14, wherein the ink data comprises locus information to define the output position by coordinate values.

16. (Unamended From Previous Version) The information processing apparatus according to Claim 14, wherein said character string to be inserted is a quotation symbol.

17. (Unamended From Previous Version) The information processing apparatus according to Claim 14, wherein said character string to be inserted is an inserting comment text.

Cl
18. (Amended) The information processing apparatus according to Claim 14, wherein said character string to be inserted is a character string that can be edited.

19. (Unamended From Previous Version) The information processing apparatus according to Claim 14, wherein said shift amount is length information.

20. (Amended) The information processing apparatus according to Claim 14, wherein the new output document is carried out by setting said shift amount as an offset value of said received mail document.

21. (Amended) The information processing apparatus according to Claim 14, wherein said shift amount is calculated according to a number of lines of the character string to be inserted and a line pitch of the document format.

22. (Amended) The information processing apparatus according to Claim 14, wherein said shift amount is calculated according to a number of lines and a number of characters of the character string to be inserted and according to a line pitch and a character pitch of the document format.

23. (Unamended From Previous Version) The information processing apparatus according to Claim 14, wherein said output means is an ink jet printer.

24. (Unamended From Previous Version) The information processing apparatus according to Claim 14, wherein said output means is a printer.

25. (Unamended From Previous Version) The information processing apparatus according to Claim 14, wherein said output means is a display device.

26. (Three Times Amended) An information processing apparatus comprising:

storage means for storing document information comprising locus information and text information, a locus image being reproduced from the locus information and overlaid on a text image being reproduced from the text information when the document is reproduced, a reproduction position of the locus image being defined by a coordinate value on reference coordinate axes of the document information;

text edit means for editing said text information;

shift amount calculating means for generating a shift amount of the reproduction position of the locus image according to a new text image reproduced from the edited text information; and

output means for outputting the locus image which is overlaid on the new text image reproduced from the edited text information, the locus image being shifted according to the calculated shift amount.

CL
27. (Three Times Amended) The information processing apparatus according to Claim 26, wherein the calculated shift amount is a difference between a position of the text image upon output thereof without the editing and a position of the text image upon output thereof after the editing.

28. (Unamended From Previous Version) The information processing apparatus according to Claim 26, wherein said editing is insertion of a character string.

29. (Unamended From Previous Version) The information processing apparatus according to Claim 26, wherein the shift amount is coordinate data.

30. (Three Times Amended) A storage medium for storing computer-executable process steps for an information processing method, said storage medium storing:

code for storing a received mail document including text data and ink data, an ink image being reproduced from the ink data and overlaid on a text image reproduced

from the text data when the mail document is reproduced, a reproduction position of the ink image being defined by a coordinate value on reference coordinate axes of the received mail document;

code for inserting a character string to text data of a new document when a new document quoting the received mail document is prepared;

code for calculating a deviation amount of the reproduction position of the ink image according to a new text image reproduced from the text data to which the character string was inserted; and

code for outputting, as the new document, the ink image which is overlaid on the new text image reproduced from the text data to which the character string was inserted, the ink image being shifted according to said calculated shift amount.

31. (Three Times Amended) A storage medium for storing computer-executable process steps for an information processing method, said storage medium storing:

code for storing document information comprising locus information and text information, a locus image being reproduced from the locus information and overlaid on a text image being reproduced from the text information when the document is reproduced, a reproduction position of the locus image being defined by a coordinate value on reference coordinate axes of the document information;

code for editing said text information;

code for calculating a shift amount of the reproduction position of the locus image according to a new text image reproduced from the edited text information; and